



COUNTY OF CAMPBELL

COMMUNITY DEVELOPMENT

PO Box 100
85 Carden Lane
Rustburg VA 24588

Structure Number Display Guideline

Purpose: To set forth a policy for the display of addressed structures.

1. It shall be the responsibility of structure owners to provide and post structure numbers on their structures as herein provided.
2. On structures located less than fifty (50) feet from the road edge, block numbers a minimum of three (3) inches high should be attached to the structure in such a position that they are clearly visible from the road. For structures on corner lots, the numbers should face the road which is the street address of the structure.
3. On the structures located more than fifty (50) feet from the road edge, or if the structure is partially or fully obscured from view, the numbers shall be displayed next to a walk, driveway or other suitable location. Numbers shall be at least three inches high and located so as to be visible from the road from either direction. For structures on corner lots, the numbers should be visible from the road which is the street address.
4. Numbers shall be placed on a contrasting background. The use of reflective numbers is strongly encouraged. Numbers attached to structures should be positioned at least five (5) to seven (7) feet off of the ground. Numbers displayed next to a walk, driveway, or other location will be positioned three (3) to seven (7) feet above the ground.
5. Commercial and industrial structures shall display six (6) inch numbers on or above the main entrance to the structure. There shall be no other numbering or lettering within one foot of the structure number.
6. Apartments, townhouses, shopping centers, and similar developments where one main number is assigned to the development shall display that number at the developments main entrance. Such main numbers shall have a minimum height of six (6) inches and should be positioned at least five (5) feet and not more than fifteen (15) feet above the ground. Numbers for individual units within each development shall be displayed on or above the main entrance to each unit.